



Report No. A222022648510102

Page 1 of 5

Company Name Global Connector Technology Ltd  
Shown on Report  
Address Unit 301, 3rd Floor, Block B, Sea View Estate ,4-6 Watson Road, North Point, HK

**The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client**

Sample Name USB Type C Receptacle,Horizontal,Mid Mount,SMT,IP67,For Power Charging Only  
Type USB4715-GF-A  
Sample Receiving State Normal  
Sample Received Date Jun. 7, 2022  
Testing Period Jun. 7, 2022-Jun. 13, 2022

**Test Requested**

No.	Test Item
1	IP6X

**Test Result(s):** Please see the following pages.

Approved by

Date

Jun. 13, 2022

Roger xiao  
Approved Signatory  
Centre Testing International Group Co., Ltd.

No. R8EA2497C8  
Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China

## Test Report

Report No. A222022648510102

Page 2 of 5

### Tested Sample(s)

Sample No.	Sample Name	Type	Quantity
A2220226485101001	USB Type C Receptacle,Horizontal,Mid Mount,SMT,IP67,For Power Charging Only	USB4715-GF-A	1pc

### Sample Photo(s)



A2220226485101001

团  
NATIO  
利专  
esting

# Test Report

Report No. A222022648510102

Page 3 of 5

**Test Item: IP6X****1. Test Equipment**

Equipment Name	Model
Test probe	Φ1.0mm
Dust Tester	KXT1410

**2. Environmental Conditions**

Temperature: 25.1℃; Humidity: 57%RH

**3. Test Standard: IEC 60529:2013****4. Test Condition**

Use a test probe with a diameter of 1mm to probe the gap part of the sample with a force of 1N.

Put the sample in a negative pressure state, the pumping rate is 40-60 times the volume of the shell per hour, and the pressure difference between the pressure in the shell and the atmospheric pressure is less than 2kPa, and the test is continuously performed for 2h in the dust-proof test box.

**5. Test Result(s)**

Sample No.	Criterion	Test result (Visual inspection)	Conclusion
A2220226485101001	The test probe cannot penetrate into the sample, and there is no dust inside the sample.	The test probe cannot penetrate into the sample, and there is no dust inside the sample.	Pass
Remarks: The basis for judgment is provided by the customer.			

# Test Report

Report No. A222022648510102

Page 4 of 5

## Test Photo(s)




A2220226485101001



A2220226485101001

## Sample Photo(s) after the test



A2220226485101001

Remark: The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

华测检测  
CALIP CO. /  
Date

# Test Report

Report No. A222022648510102

Page 5 of 5

Statement:

- 1.This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2.Company Name and Address shown on Report, the sample(s) and sample Information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3.The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4.Without written approval of CTI, this report can't be reproduced except in full;
- 5.In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

\*\*\* End of Report \*\*\*

